

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L2	71	(laser near3 diode\$2 near3 array\$2) with (optic\$3 near3 waveguide\$2)	USPA T; US-P GPUB	2004/02/24 09:42	
2	BRS	L3	2	L2 and (slow near3 axis) and (fast near3 axis)	USPA T; US-P GPUB	2004/02/24 09:45	
3	BRS	L4	25	L2 and (collimat\$7 with lens\$3)	USPA T; US-P GPUB	2004/02/24 09:46	
4	BRS	L5	1	L4 and (laminat\$3 near4 waveguide\$3)	USPA T; US-P GPUB	2004/02/24 10:04	
5	BRS	L6	4	L2 and (laminat\$3 near4 waveguide\$3)	USPA T; US-P GPUB	2004/02/24 10:51	
6	BRS	L7	3	L6 not L5	USPA T; US-P GPUB	2004/02/24 10:05	
7	BRS	L8	36	L2 and ((plan\$3 or plat\$6) with waveguide\$3)	USPA T; US-P GPUB	2004/02/24 10:52	
8	BRS	L9	13	L8 and (cylind\$5 near3 lens\$3)	USPA T; US-P GPUB	2004/02/24 10:53	
9	BRS	L10	3975	((stack\$2 or layer\$2) near4 plate\$2) with (secur\$4 or clamp\$3)	USPA T; US-P GPUB	2004/02/24 11:46	
10	BRS	L11	21	L10 and (press\$5 with buffer\$3)	USPA T; US-P GPUB	2004/02/24 11:47	

	Error Definition	Er ro rs
1		0
2		0
3		0
4		0
5		0
6		0
7		0
8		0
9		0
10		0

L Number	Hits	Search Text	DB	Time stamp
2	71	((laser near3 diode\$2 near3 array\$2) with (optic\$3 near3 waveguide\$2))	USPAT; US-PGPUB	2004/02/24 09:42
3	2	((laser near3 diode\$2 near3 array\$2) with (optic\$3 near3 waveguide\$2)) and (slow near3 axis) and (fast near3 axis)	USPAT; US-PGPUB	2004/02/24 09:45
4	25	((laser near3 diode\$2 near3 array\$2) with (optic\$3 near3 waveguide\$2)) and (collimat\$7 with lens\$3)	USPAT; US-PGPUB	2004/02/24 09:46
5	1	((laser near3 diode\$2 near3 array\$2) with (optic\$3 near3 waveguide\$2)) and (collimat\$7 with lens\$3)) and (laminat\$3 near4 waveguide\$3)	USPAT; US-PGPUB	2004/02/24 10:04
6	4	((laser near3 diode\$2 near3 array\$2) with (optic\$3 near3 waveguide\$2)) and (laminat\$3 near4 waveguide\$3)	USPAT; US-PGPUB	2004/02/24 10:51
7	3	((laser near3 diode\$2 near3 array\$2) with (optic\$3 near3 waveguide\$2)) and (laminat\$3 near4 waveguide\$3)) not (((laser near3 diode\$2 near3 array\$2) with (optic\$3 near3 waveguide\$2)) and (collimat\$7 with lens\$3)) and (laminat\$3 near4 waveguide\$3))	USPAT; US-PGPUB	2004/02/24 10:05
8	36	((laser near3 diode\$2 near3 array\$2) with (optic\$3 near3 waveguide\$2)) and ((plan\$3 or plat\$6) with waveguide\$3)	USPAT; US-PGPUB	2004/02/24 10:52
9	13	((laser near3 diode\$2 near3 array\$2) with (optic\$3 near3 waveguide\$2)) and ((plan\$3 or plat\$6) with waveguide\$3)) and (cylind\$5 near3 lens\$3)	USPAT; US-PGPUB	2004/02/24 10:53
10	3975	((stack\$2 or layer\$2) near4 plate\$2) with (secur\$4 or clamp\$3)	USPAT; US-PGPUB	2004/02/24 11:46
11	21	((stack\$2 or layer\$2) near4 plate\$2) with (secur\$4 or clamp\$3)) and (press\$5 with buffer\$3)	USPAT; US-PGPUB	2004/02/24 11:47